

Re -QUOTATION NOTICE

Quotation Number	S3/12097/2025/GMCHK, Dt. 08/ 07/2026
Due Date and time for receipt of quotations	17/ 07/2026 12 PM
Date and time for opening of quotations	18/07/2026 3 PM
Date upto which the rates are remain firm for acceptance	31/12/2026
Designation and address of officer to whom the quotation is to be addressed	Superintendent Govt Medical College Hospital Kannur
Superscription Quotation for "Analytical Balance used for IHC Study at Pathology"	

Sealed quotations are invited for the supply of the materials specified in the schedule attached below/overleaf. The rates quoted should be for delivery of the articles at the places mentioned below the schedule. The necessary superscription, the due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted below. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations constitutes will be subject to the following conditions.

1. Acceptance of the quotations constitutes concluded contracts. Nevertheless, the successful renderer must within a fortnight/a month after the acceptance of his quotation furnish 5 percent of the amount of the contract as security deposit and execute an agreement at his own cost for the satisfactory authorized of the contract if so, required.
2. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the order and purchases being made at the officer's expense from elsewhere, any loss, incurrent thereby being payable by the defaulting party. In such an event the government reserves also the right to remove the defaulter's name from the list of government suppliers permanently or for a specified number of years.
3. Samples duly listed, should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the officer's at their own expenses and the government will in no case be liable for any expense on account of the value of the samples of their transport charges, etc. In case the samples are sent by railway, the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and demurrage will have to be paid if the railway parcels are not cleared in time., Quotations for the supply of materials are liable to be rejected unless samples if called for, of the materials tendered for are forwarded. The approved samples may or may not be returned at the discretion of the undersigned.
Samples sent by 'V.P.Post' or freight to pay will not be accepted.
4. No representation for enhancement for price once accepted will be considered during the currency of the contract.
5. Any attempt on the part of tenderers or their agents to influence the officers concerned in their favour by personal canvassing, will disqualify the tenderers.

Re -QUOTATION NOTICE

Quotation Number	S3/12097/2025/GMCHK, Dt. 08/ 07/2026
Due Date and time for receipt of quotations	17/ 07/2026 12 PM
Date and time for opening of quotations	18/07/2026 3 PM
Date upto which the rates are remain firm for acceptance	31/12/2026
Designation and address of officer to whom the quotation is to be addressed	Superintendent Govt Medical College Hospital Kannur
Superscription Quotation for "Analytical Balance used for IHC Study at Pathology"	

Sealed quotations are invited for the supply of the materials specified in the schedule attached below/overleaf. The rates quoted should be for delivery of the articles at the places mentioned below the schedule. The necessary superscription, the due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted below. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations constitutes will be subject to the following conditions.


1. Acceptance of the quotations constitutes concluded contracts. Nevertheless, the successful renderer must within a fortnight/a month after the acceptance of his quotation furnish 5 percent of the amount of the contract as security deposit and execute an agreement at his own cost for the satisfactory authorized of the contract if so, required.
2. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the order and purchases being made at the officer's expense from elsewhere, any loss, incurrent thereby being payable by the defaulting party. In such an event the government reserves also the right to remove the defaulter's name from the list of government suppliers permanently or for a specified number of years.
3. Samples duly listed, should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the officer's at their own expenses and the government will in no case be liable for any expense on account of the value of the samples of their transport charges, etc. In case the samples are sent by railway, the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and demurrage will have to be paid if the railway parcels are not cleared in time., Quotations for the supply of materials are liable to be rejected unless samples if called for, of the materials tendered for are forwarded. The approved samples may or may not be returned at the discretion of the undersigned.
Samples sent by 'V.P.Post' or freight to pay will not be accepted.
4. No representation for enhancement for price once accepted will be considered during the currency of the contract.
5. Any attempt on the part of tenderers or their agents to influence the officers concerned in their favour by personal canvassing, will disqualify the tenderers.

Analytical Balance (Electronic weighing balance)

Technical specifications

- 1- Maximum capacity 220gms and above
- 2- Sensitivity -0.001 gm
- 3- Pan size should be minimum 100x100mm
- 4-Equipment should run-230VAC
- 5-^uQuick response
- 6- 2years warranty




Dr. Teena Sam K.